L Number	Hits	Search Text	DB	Time stamp
-	0	symbolic adj (kernal adj debug\$4)	USPAT;	2003/06/17 16:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	179	symbolic adj debug\$4		2002/06/17 16:55
-	179	symbolic adjucougs4	USPAT;	2003/06/17 16:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	İ
-	38	symbolic adj debug\$4 and (symbol near5 file)	USPAT;	2003/06/17 17:02
		·	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	232	717/124.ccls.	USPAT;	2003/06/17 17:02
			US-PGPUB;	2003/00/17 17:02
			EPO; JPO;	
		·	DERWENT;	
<u> </u>	55	717/124 calc. and (symbolic or (symbol years (st.))	IBM_TDB	2002/06/15 15 15
-	33	717/124.ccls. and (symbolic or (symbol near5 table))	USPAT;	2003/06/17 17:16
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	137	717/125.ccls.	USPAT;	2003/06/17 17:04
		•	US-PGPUB;	
'			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
_	10	symbolic adj debug\$4 and coheren\$2	USPAT;	2003/06/17 17:15
	.0	Symbolic day debugy F dild collecting2	US-PGPUB;	2003/00/17 17.13
1				,
			EPO; JPO;	
			DERWENT;	
	4505	anatama mana dalamatika	IBM_TDB	
-	4525	system near3 debug\$4	USPAT;	2003/06/17 17:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	kernal near5 debug\$4	USPAT;	2003/06/18 10:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	85	717/124.ccls. and (system near3 debug\$4)	USPAT;	2003/06/17 17:16
	· ·	· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	-505,05,17,17,10
			EPO; JPO;	
			DERWENT;	
<u> </u>	17	symbolic adj debug\$4 and (system manufactors) = 14	IBM_TDB	2002/06/15 15 15
-	17	symbolic adj debug\$4 and (system near5 state) and suspen\$4 and	USPAT;	2003/06/17 17:17
		(resum\$3 or resumption)	US-PGPUB;	
	·		EPO; JPO;	
ļ	l		DERWENT;	
			IBM_TDB	
-	26	717/125.ccls. and (symbolic or (symbol near5 table))	USPĀT;	2003/06/18 09:44
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	US-PGPUB;	
			EPO; JPO;	
	l		DERWENT;	-
	l		IBM_TDB	
			TIDIVI_IDB	

-	40	symbolic adj debug\$4 and (system near5 state)	USPAT;	2003/06/18 09:49
İ			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	119	symbolic adj debug\$4 and (hardware or processor or microprocessor or	USPAT;	2003/06/18 10:12
	117	kernel or (operating adj system))	US-PGPUB;	2003/00/18 10.12
		nemer or (operating and system))	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
_	13	("5109353" "5469003" "5515524" "5546562" "5555201"	USPAT	2003/06/18 09:53
		"5594657" "5673198" "5684980" "5708798" "5802290" "5913052"	001.11	2005/00/10 09:55
		"5956476" "5995744").PN.		
-	2	6212650.URPN.	USPAT	2003/06/18 09:58
-	93	symbolic adj debug\$4 and (((hardware or processor or microprocessor)	USPAT;	2003/06/18 10:28
		near3 interface) or kernel or (operating adj system))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	40333	(kernel or (operating adj system)) and ((link\$3 adj list) or linked-list or	USPAT;	2003/06/18 10:30
		list)	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
	16140	(from all on (on another add eventure)) and ((1) 1 02 11 11 12 11 11 11 11 11	IBM_TDB	2002/06/20 40 55
-	16149	(kernel or (operating adj system)) and ((link\$3 adj list) or linked-list or	USPAT;	2003/06/18 10:32
	ļ	list) and state and (test\$3 or debug\$4 or benchmark\$3)	US-PGPUB;	
	i		EPO; JPO;	
	İ		DERWENT;	
_	1668	(kernel or (operating adj system)) and ((link\$3 adj list) or linked-list or	IBM_TDB	2002/06/19 10:22
	1008	list) and state and (test\$3 or debug\$4 or benchmark\$3) and symbolic	USPAT;	2003/06/18 10:32
		issy and state and (testas of debugat of benefittal kas) and symbolic	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	158	kernel near5 debug\$4	USPAT;	2003/06/18 10:33
	[US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	0	symbolic adj (kernel near5 debug\$4)	USPAT;	2003/06/18 10:32
			US-PGPUB;	
		· ·	EPO; JPO;	
			DERWENT;	
1	10	from almost debugged and ((Insural and all all all all all all all all all al	IBM_TDB	000000000000000000000000000000000000000
-	10	kernel near5 debug\$4 and ((kernel or (operating adj system)) and ((link\$3	USPAT;	2003/06/18 11:51
		adj list) or linked-list or list) and state and (test\$3 or debug\$4 or benchmark\$3) and symbolic)	US-PGPUB;	
		ochomiakęs) and symbolic)	EPO; JPO;	
		•	DERWENT; IBM TDB	
	11	("4312066" "4339819" "4481574" "4589068" "4819234"	USPAT	2003/06/18 11:34
	11	"4985893" "5022028" "5228039" "5315642" "5394544"	USFAI	2003/00/16 11:34
		"5410681").PN.		
-	33	5630049.URPN.	USPAT	2003/06/18 11:38
-	3403	(kernel or operating-system or (operating adj system)) and (linked-list or	USPAT;	2003/06/18 11:52
		(linked adj list))	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	645	(kernel or operating-system or (operating adj system)) and (linked-list or	USPAT;	2003/06/18 11:53
		(linked adj list)) and debug\$4	US-PGPUB;	
			EPO; JPO;	
[DERWENT;	
	L		IBM_TDB	

	570	(frame) or anaroting quature or (anarotine of the continue of	LICDATE	2002/06/19 11 22
-	579	(kernel or operating-system or (operating adj system)) and (linked-list or (linked adj list)) and debug\$4 and state	USPAT; US-PGPUB;	2003/06/18 11:53
			EPO; JPO;	
		·	DERWENT; IBM_TDB	
	132	(kernel or operating-system or (operating adj system)) and (linked-list or	USPAT;	2003/06/18 12:06
		(linked adj list)) and debug\$4 and state and symbolic	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	•
_	2150	memory and list and (linked-list or (linked adj list)) and head	IBM_TDB USPAT;	2003/06/18 12:08
		memory and not and (mixed hot of (mixed adj hot)) and head	US-PGPUB;	2003/00/18 12:08
		·	EPO; JPO;	
		,	DERWENT;	
_	1002	memory same (linked-list or (linked adj list)) and head	IBM_TDB	2002/06/19 12:00
-	1002	memory same (mixed-rist of (mixed adj fist)) and field	USPAT; US-PGPUB;	2003/06/18 12:09
			EPO; JPO;	
			DERWENT;	
	020	manuscus and Chalad Patra (Palad at Patra) and the first a	IBM_TDB	2002/05/10 12 14
-	930	memory same (linked-list or (linked adj list)) and head and (access\$3 or retrieving)	USPAT;	2003/06/18 12:11
		Teurieving)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	88	memory same (linked-list or (linked adj list)) and head and (access\$3 or	USPAT;	2003/06/18 12:10
		retrieving) and (memory near3 descriptor)	US-PGPUB; EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
-	104	memory same (linked-list or (linked adj list)) and head and (access\$3 or	USPAT;	2003/06/18 12:10
		retrieving) and debug\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	159	memory same (linked-list or (linked adj list)) and head and (access\$3 or	USPAT;	2003/06/18 12:12
		retrieving) and doubl\$2 near (linked-list or (linked adj list))	US-PGPUB;	·
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	26	(memory same (linked-list or (linked adj list)) and head and (access\$3 or	USPĀT;	2003/06/18 12:18
		retrieving) and debug\$4) and (memory same (linked-list or (linked adj	US-PGPUB;	
		list)) and head and (access\$3 or retrieving) and doubl\$2 near (linked-list or (linked adj list))	EPO; JPO; DERWENT;	
		(IBM_TDB	
-	15	debug same memory and ((doubly adj linked-list) or ((doubly adj linked)	USPAT;	2003/06/18 14:12
		adj list))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	nested adj ((linked adj list) or linked-list)	USPAT;	2003/06/18 14:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	0	n-dimension\$4 adj ((linked adj list) or linked-list)	USPAT;	2003/06/18 14:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	0.	(((linked adj list) or linked-list) adj of) adj ((linked adj list) or	USPAT;	2003/06/18 14:17
		linked-list)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
	L		IDM_IDB	

•				
-	337	((linked adj list) or linked-list) and (multi-dimension\$4 or	USPAT;	2003/06/18 14:19
		multidimension\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	324	((linked adj list) or linked-list) and (multi-dimension\$4 or	USPAT;	2003/06/18 14:27
		multidimension\$4) and memory	US-PGPUB;	
	Ī		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	27	((linked adj list) or linked-list) and (multi-dimension\$4 or	USPAT;	2003/06/18 14:20
		multidimension\$4) near5 memory	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	18	((linked adj list) or linked-list) and (multi-dimension\$4 or	USPĀT;	2003/06/18 14:23
		multidimension\$4) near5 memory and (debug\$4 or test\$3)	US-PGPUB;	
			EPO; JPO;	
1	ĺ		DERWENT;	
			IBM TDB	
-	9	((linked adj list) or linked-list) and (multi-dimension\$4 or	USPAT;	2003/06/18 14:26
1		multidimension\$4) near5 (ROM or ((read adj only)adj memory))	US-PGPUB;	3000.00.10 14.20
		(((((((((((((((((((((((((((((((((((((((EPO; JPO;	
	,	·	DERWENT;	
			IBM TDB	
_	9	((linked adj list) or linked-list) and (multi-dimension\$4 or	USPAT;	2003/06/18 14:27
	_	multidimension\$4 or n-dimension\$4 or ndimension\$4) near5 (ROM or	US-PGPUB;	2003/00/18 14.27
		((read adj only)adj memory))	EPO; JPO;	
		((read adj only)adj memory))	DERWENT;	
			1	
_	166	((linked adj list) or linked-list) and (multi-dimension\$4 or	IBM_TDB USPAT;	2003/06/18 14:28
	100	multidimension\$4) and memory and ((read adj only) or non-volatile or	-	2003/06/18 14:28
		nonvolatile)	US-PGPUB;	
		indivolative)	EPO; JPO;	
			DERWENT;	
1.	139	((linked adj list) or linked-list) and (multi-dimension\$4 or	IBM_TDB	2002/06/19 14:52
	137	multidimension\$4) and memory and ((read adj only) or non-volatile or	USPAT; US-PGPUB;	2003/06/18 14:52
		nonvolatile) and (debug\$4 or test\$3)	1	
		Honvolume) and (debuggar of testas)	EPO; JPO; DERWENT;	
			_	
l _	1205	memory near3 descriptor and (locat\$3 or retriev\$3 or access\$3 or	IBM_TDB	2002/06/19 14:54
	1203	acquir\$3) and buffer\$3	USPAT;	2003/06/18 14:54
		acquires) and batteres	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
! _	1205	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or	IBM_TDB	2002/06/19 14 55
1	1203	access\$3 or acquir\$3) and buffer\$3	USPAT;	2003/06/18 14:55
		accessing or acclaimant and nathering	US-PGPUB;	
			EPO; JPO;	
[DERWENT;	
-	720	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or	IBM_TDB	2002/06/10 14 25
1	/20	access\$3 or acquir\$3) and buffer\$3 and list	USPAT;	2003/06/18 14:55
		accessas of acquiras) and bufferas and list	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	227	momory noon? decoming and (consider 2 and 1 and 2	IBM_TDB	0000106150115
-	237	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or	USPAT;	2003/06/18 14:56
		access\$3 or acquir\$3) and buffer\$3 and list and head	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		A. 1	IBM_TDB	
-	21	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or	USPAT;	2003/06/18 17:18
		access\$3 or acquir\$3) and buffer\$3 and list and head and ((resum\$3 or	US-PGPUB;	
		resumption) near3 thread)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

•	21	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or	USPAT;	2003/06/18 14:58
		access\$3 or acquir\$3) and buffer\$3 and (list or linked-list or (linked adj	US-PGPUB;	
		list)) and head and ((resum\$3 or resumption) near3 thread)	EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	237	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or	USPAT;	2003/06/18 17:21
		access\$3 or acquir\$3) and buffer\$3 and list and head	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	į
			IBM_TDB	
-	905	captur\$3 same (system adj (state or data))	USPĀT;	2003/12/04 16:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	<u> </u>
-	3	(captur\$3 or gather\$3) same (system adj (state or data)) and	USPAT;	2003/12/04 16:12
		(maintain\$3 same (data adj coheren\$3))	US-PGPUB;	
		(EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	181	debug\$4 and (data adj coheren\$3)	USPAT;	2003/12/08 07:23
		J (US-PGPUB;	2303/12/00 07.23
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1941	debug\$4same (data adj coheren\$3)	USPAT;	2003/12/08 07:21
-	15,11	debugy isame (data adj concicity)	US-PGPUB;	2003/12/06 07.21
			EPO; JPO;	
			<u>,</u>	
1			DERWENT;	
1_	0	debug\$4 same (data adj coheren\$3)	IBM_TDB USPAT;	2002/12/09 07:21
		deought same (data adj concremps)	US-PGPUB;	2003/12/08 07:21
			EPO; JPO;	
			DERWENT;	
	136	debug\$4 and (data adj coheren\$3) and collect\$5	IBM_TDB	2002/12/09 07:22
	150	debuggar and (data adj concrens) and concenso	USPAT;	2003/12/08 07:22
1			US-PGPUB;	
			EPO; JPO;	· ·
			DERWENT;	
_	15	debug\$4 and (data adj coheren\$3) and collect\$5 near5 memory	IBM_TDB	2002/12/08 07/22
	13	debugs4 and (data adj concrens) and conects hears memory	USPAT;	2003/12/08 07:23
		,	US-PGPUB;	
			EPO; JPO;	
	!		DERWENT;	
_	126	debug\$4 and (data adj coheren\$3) and memory and list	IBM_TDB	2002/12/09 07:22
	120	accase raine (anna any conferences) and memory and first	USPAT;	2003/12/08 07:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	7	debug\$4 and (data adj coheren\$3) and memory and ((link\$3-list) or (IBM_TDB	2002/12/09 07:55
	'	link\$3 adj list))	USPAT;	2003/12/08 07:56
1		mikos auj nsi <i>j j</i>	US-PGPUB;	
			EPO; JPO;	
	ļ l	:	DERWENT;	
l _	0	6158045 pp. and speep\$2	IBM_TDB	0000410400 00 5=
-	"	6158045.pn. and snoop\$3	USPAT;	2003/12/08 08:17
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		C110405	IBM_TDB	
_	2	6119485.pn.	USPAT;	2003/12/08 08:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	<u></u>		IBM_TDB	

				
-	2	5119485.pn.	USPAT;	2003/12/08 08:17
			US-PGPUB;	
			EPO; JPO;	
		ı	DERWENT;	
		·	IBM_TDB	
-	21	(data adj coheren\$2) same (lock\$3 or halt\$3 or suspend\$3 or resum\$3 or	USPAT;	2004/09/30 14:43
]	stop\$4) near2 (process or thread)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	55	collection adj driver	USPĀT;	2004/09/30 14:43
			US-PGPUB;	
		·	EPO; JPO;	
ĺ			DERWENT;	
			IBM_TDB	
1 -	2	(collection adj driver) same (lock\$3 or halt\$3 or suspend\$3 or resum\$3	USPAT;	2004/09/30 16:11
		or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or run\$4) near2	US-PGPUB;	2004/09/30 10.11
		(process or thread)	1	
		(process of unead)	EPO; JPO;	
			DERWENT;	
		6604510 UDDNI	IBM_TDB	2004/00/20 14 40
_	0	6694510.URPN.	USPAT	2004/09/30 14:49
-	8	("5630049" "5889988" "5956479" "6158045" "6205494"	USPAT	2004/09/30 14:49
ľ	1000	"6272499" "6370660" "6564369").PN.		
-	1980	((collection adj driver) or debug\$4) same (lock\$3 or halt\$3 or suspend\$3	USPAT;	2004/09/30 16:14
		or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or	US-PGPUB;	
		run\$4) near2 (process or thread or execut\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((collection adj driver) or debug\$4) same (lock\$3 or halt\$3 or suspend\$3	USPAT;	2004/09/30 16:15
		or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or	US-PGPUB;	
		run\$4) near2 (process or thread or execut\$3) same (data adj (coheren\$2	EPO; JPO;	
		or validity))	DERWENT;	
			IBM_TDB	
-	20	((collection adj driver) or debug\$4) same (lock\$3 or halt\$3 or suspend\$3	USPAT;	2004/09/30 16:20
		or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or	US-PGPUB;	
1	[run\$4) near2 (process or thread or execut\$3) and (data adj (coheren\$2	EPO; JPO;	
	1	or validity))	DERWENT;	
1			IBM_TDB	
-	50	(lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or	USPĀT;	2004/09/30 16:27
1		restart\$3 or sleep\$3 or asleep\$3 or run\$4) near2 (process or thread or	US-PGPUB;	
1		execut\$3) same (data adj (coheren\$2 or validity))	EPO; JPO;	
		•"	DERWENT;	
1			IBM TDB	
-	40	(lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or	USPAT;	2004/09/30 16:29
		restart\$3 or sleep\$3 or asleep\$3 or run\$4) near2 (process or thread or	US-PGPUB;	
		execut\$3) same (data adj (coheren\$2 or validity)) and (symbolic or	EPO; JPO;	
		debugger or kernel or collection or collect\$3 or retriev\$3)	DERWENT;	
		Constitution of tollowings of foliation way	IBM TDB	
<u> </u>	<u> </u>		ממו ואומי	